	Application No.	Applicant(s)	
Notice of Allowability	10/005,286	CHEN ET AL.	
Notice of Anowabinty	Examiner	Art Unit	
	Kevin Pyo	2878	
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.			
1. This communication is responsive to the application filed on 12/4/2001.			
2. The allowed claim(s) is/are <u>1-5</u> .			
3. The drawings filed on <u>04 December 2001</u> are accepted by the Examiner.			
 4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) ☐ All b) ☐ Some* c) ☐ None of the: 			
1. Certified copies of the priority documents have been received.			
2. Certified copies of the priority documents have been received in Application No			
3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).			
* Certified copies not received:			
5. Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).			
(a) The translation of the foreign language provisional application has been received.			
6. Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.			
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.			
7. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.			
8. CORRECTED DRAWINGS must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached			
1) hereto or 2) to Paper No			
(b) including changes required by the proposed drawing correction filed, which has been approved by the Examiner.			
(c) 🔲 including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No			
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet.			
9. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.			
Attachment(s)			
 1⊠ Notice of References Cited (PTO-892) 3□ Notice of Draftperson's Patent Drawing Review (PTO-948) 5□ Information Disclosure Statements (PTO-1449), Paper No 7□ Examiner's Comment Regarding Requirement for Deposit of Biological Material 	4☐ Interview Summa 6☐ Examiner's Ame	al Patent Application (PTO-152) ary (PTO-413), Paper No ndment/Comment ement of Reasons for Allowance	

1. The following is an examiner's statement of reasons for allowance:

Regarding claims 1 and 2, the prior art fails to disclose or make obvious a method of resolving photoelectron coupling that results from an operation of a staggered charge coupled device inside a scanner comprising, in addition to the other recited features of the claim, the limitation of "subtracting the quantity of transferred photoelectrons from the first quantity of photoelectrons captured by the optical sensor array to obtain the correct quantity of photoelectrons captured by the optical sensor array during the scanning time t so that correct brightness value for pixels scanned by the optical sensor array is obtained".

Regarding claims 3-5, the prior art fails to disclose or make obvious a method of resolving photoelectron coupling that results from an operation of a staggered charge coupled device inside a scanner comprising, in addition to the other recited features of the claim, the limitation of finding a calibration value for the quantity of photoelectrons obtained during a scanning time interval using a formula as recited in claims 3-5, and using the calibration value to correct a brightness value of pixels scanned by an optical sensor array.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

The prior art made of record and not relied upon is considered pertinent to applicant's 2. disclosure. Chen, Spears and Liu et al are cited for disclosing a scanner having a staggered CCD design.

Application/Control Number: 10/005,286 Page 3

Art Unit: 2878

3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Kevin Pyo whose telephone number is 703-308-4841. The examiner can normally be reached on Mon-Fri (with flexible hour), First Mon. off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Dave Porta can be reached on 703-308-4852. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-308-0956.

Kevin Pyo

Primary Examiner Art Unit 2878

pkk 8/22/2003